

Current dataset of hysteroscopic procedures


10,101 hysteroscopies on the database

A milestone achieved – 99% of the dataset is pure, unpolluted, complete data

Nearly doubled since last year's Ambulatory Care Network meeting


Key updates

Now, once you have submitted the procedure data, the BSGESICS prompts you to get the patient to complete the Outpatient Hysteroscopy Patient Satisfaction Survey




Key updates

Get the patient to complete the form on a handheld device such as a table computer



Key updates

A paper form is no longer needed to complete the patient journey loop



Streamline your outpatient service

This completely paperless system makes your ambulatory outpatient hysteroscopy service future ready

Quick summary of data for interactive discussion – What else do we find?

	2019	2020
Polyp found in	22.50%	28.47%
Fibroid found in	5.56%	6.23%
Septum found in	0.27%	0.31%

Quick summary of data for interactive discussion - Indications

	2019	2020
Women with PMB - Polyp found	30.92%	30.35%
Women with HMB - Fibroid found	11.50%	12.13%
Women with subfertility - Septum found	1.09%	0.74%
Women with IMB as indication	1 in 9	
Women with IMB - Polyp found		23.28%
Women with HMB - Polyp found		13.51%
Women with Polyps presenting with HMB / PMB / IMB		88.84%

Quick summary of data for interactive discussion

	2019	2020
Number of women with PMB that were identified as Atrophic	24.40%	58.67%
Number of such women that went on to have an endometrial biopsy	14.70%	18.29%

Quick summary of data for interactive discussion - BMI and its affects

	2019	2020
Overweight	35.60%	34.44%
Obesity Class 1	11.80%	11.81%
Obesity Class 2	5.50%	5.98%
Morbid Obesity	5.40%	5.82%

Quick summary of data for interactive discussion

	2019	2020
Overweight with suspicious endometrium	6.20%	5.44%
Obesity Class 1 with suspicious endometrium	9.04%	7.42%
Obesity Class 2 wirth suspicious endometrium	17.40%	15.22%
Morbid Obesity with suspicious endometrium	20.40%	20.00%

Quick summary of data for interactive discussion - Parity

	2019	2020
Parous women	84%	83.28
Nulliparrous women	16%	16.72
	2019	2020
	2019	2020
Parous women with suspicious endometrium (confounders not adjusted)	7.28%	6.63%
Nulliparous women with suspicious endometrium (confounders not adjusted)	5.42%	4.71%

Quick summary of data for interactive discussion - Vaginoscopies

	2019	2020
Vaginoscopy not attempted	37.13%	36.82%
Vaginoscopy at least attempted	62.87%	63.18
Vaginoscopy successful	57.57%	92%
Vaginoscopy unsuccessful	5.30%	8%

Quick summary of data for interactive discussion – Women with LLETZ

	2019	2020
Previous LLETZ	156	2.72%
Number of such women requiring cervical dilatation	34.60%	27.76%

Quick summary of data for interactive discussion – Patient intolerance

	2019	2020
OUTPATIENT HYSTEROSCOPIES	99.90%	97.25%
Outpatient and Daycase Hysteroscopies		99.90%
Patient intolerance was experienced	1.70%	1.73%
100% of cases with Patient intolerance were abandoned		

Quick summary of data for interactive discussion – What scope do you like?

	2019	2020
Rigid Hysteroscope	80%	80.10%
Flexible Hysteroscope	20%	19.90%

